



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|-----------------|-------------|----------------------|---------------------|------------------|
|-----------------|-------------|----------------------|---------------------|------------------|

10/724,623

12/02/2003

Richard A. Hall

TFLED-362TUS

2002

26875 7590 10/28/2009  
WOOD, HERRON & EVANS, LLP  
2700 CAREW TOWER  
441 VINE STREET  
CINCINNATI, OH 45202

EXAMINER

NORTON, JENNIFER L

ART UNIT

PAPER NUMBER

2121

MAIL DATE

DELIVERY MODE

10/28/2009

PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

|                              |                                       |   |  |
|------------------------------|---------------------------------------|---|--|
| <b>Office Action Summary</b> | <b>Application No.</b><br>10/724,623  | <b>Applicant(s)</b><br>HALL, RICHARD A. |  |
|                              | <b>Examiner</b><br>Jennifer L. Norton | <b>Art Unit</b><br>2121                 |  |

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 23 June 2009.
- 2a) ☒ This action is **FINAL**.                      2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-38 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-38 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 02 December 2003 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \*    c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
  - ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |  |   |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)          | 4) <input type="checkbox"/> Interview Summary (PTO-413)           |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____                                      |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)          | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____  | 6) <input type="checkbox"/> Other: _____                          |

### **DETAILED ACTION**

1. The following is a **Final Office Action** in response to the Amendment received on 23 June 2009. Claims 1, 15, 25, 29, 30 and 38 have been amended. Claims 1-38 are pending in this application.

### ***Response to Arguments***

2. Applicant's arguments, see Remarks pgs. 14-18, filed 23 June 2009 with respect to claims 1-38 under 35 U.S.C. 103(a) have been considered but are moot in view of the new ground(s) of rejection.

3. The Examiner emphasizes that all anticipated components and limitations of pending claims are present in the prior art as supported below. In addition, the Examiner notes the limitation "the add menu lists for selection by a user all of the rotors in the set of rotors compatible for use in the centrifuge device" of claim 1 (see Remarks pg. pg. 16, paragraph 2), as well as, similar recitations in claims 15, 25, 29, 30 and 38 were newly presented in the Amendment After Non-Final received on 23 June 2009 by the Office, and has been addressed as set forth in the Office Action below.

### ***Claim Rejections - 35 USC § 101***

4. The amendment to the Claims was received on 23 June 2009. The correction is acceptable and the rejection to claim 1 is withdrawn.

***Claims***

5. Examiner Notes: a) The Examiner notes Applicant's use of the term "configured to" in claims 5-12, 14-24, 29 and 38. The Applicant is reminded that use of the "configured" does not exclude the definition/interpretation of optional components and/or steps, i.e. the apparatus, system or method may or may not have the components and/or steps, per MPEP 2111.04, recited below for convenience:

**2111.04 [R-3] "Adapted to," "Adapted for," "Wherein," and "Whereby" Clauses**

Claim scope is not limited by claim language that suggests or makes optional but does not require steps to be performed, or by claim language that does not limit a claim to a particular structure. However, examples of claim language, although not exhaustive, that may raise a question as to the limiting effect of the language in a claim are:

- (A) "adapted to" or "adapted for" clauses;
- (B) "wherein" clauses; and
- (C) "whereby" clauses.

The determination of whether each of these clauses is a limitation in a claim depends on the specific facts of the case. In *Hoffer v. Microsoft Corp.*, 405 F.3d 1326, 1329, 74 USPQ2d 1481, 1483 (Fed. Cir. 2005), the court held that when a "whereby" clause states a condition that is material to patentability, it cannot be ignored in order to change the substance of the invention." *Id.* However, the court noted (quoting *Minton v. Nat 'l Ass 'n of Securities Dealers, Inc.*, 336 F.3d 1373, 1381, 67 USPQ2d 1614, 1620 (Fed. Cir. 2003)) that a "whereby clause in a method claim is not given weight when it simply expresses the intended result of a process step positively recited."

***Claim Rejections - 35 USC § 103***

6. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

Art Unit: 2121

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

7. Claims 1-12, 14-23, 25-36 and 38 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent No. 6,393,429 (hereinafter Yagi) in view of U.S. Patent No. 6,679,821 (hereinafter Numata) in further view of U.S. Patent No. 6,241,775 (hereinafter Blatchford).

8. As per claim 1, Yagi teaches an apparatus including a user interface to select a desired file/folder from a set of file(s)/folder(s) corresponding to a file/folder for use in a file handling device (col. 1, lines 6-16), the user interface comprising:

a home menu (col. 8, lines 63-67, col. 9, lines 1-2 and Fig. 6) to access a previously selected file(s)/folder(s) (col. 9, lines 14-21 and Fig. 6, element 52 and "recently accessed file" section); and

an add menu (Fig. 8 and 9A, via the selection of "Open") to add the desired file(s)/folder(s) in response to the desired file(s)/folder(s) being absent from the home menu, wherein the add menu includes the set of files/folders (col. 10, lines 25-40 and 57-67 and col. 11, lines 1-4).

Yagi does not expressly teach to a centrifuge run in a centrifuge device, rotors, the previously selected rotor having a rotor parameter associated therewith, a list for selection by a user all of the rotors in the set of rotors compatible for use in the

Art Unit: 2121

centrifuge device, and the desired rotor having a rotor parameter associated therewith that is utilized during the centrifuge run when the desired rotor is selected.

Numata teaches to a system and method for operating a centrifuge that includes querying the operator of the centrifuge for information which includes the selection of a rotor (col. 13, lines 32-59), a previously selected rotor having a rotor parameter associated therewith (col. 13, lines 60-67) and desired rotor having a rotor parameter associated therewith that is utilized during the centrifuge run when the desired rotor is selected (col. 14, lines 1-12).

Numata does not expressly teach to a list of all the rotors in the set of rotors compatible for use in the centrifuge device.

Blatchford teaches to a list of all components (i.e. restricted specific components provided in a selectable option list) in the set of components (col. 2, lines 29-38 and col. 3, lines 7-20 and col. 11, lines 45-52; i.e. specific components) for compatible use with a second component (col. 2, lines 39-46 and col. 11, lines 25-34; i.e. a generic component; following selection of a generic component, a list is generated of specific components that are compatible with the use of the generic component).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time of applicant's invention to modify the teaching of Yagi to include a system and method for operating a centrifuge that includes querying the operator of the centrifuge

Art Unit: 2121

for information which includes the selection of a rotor, a previously selected rotor having a rotor parameter associated therewith and desired rotor having a rotor parameter associated therewith that is utilized during the centrifuge run when the desired rotor is selected to provide a system which brings greater reproducibility to the results and substantially enhances the functional versatility of the centrifuge as separation aid (Numata col. 1, lines 26-36); and a list of all components in the set of components for compatible use with a second component to provide an apparatus for ensuring the proper functioning of a generic component that requires selection of a variety of specific components (Blatchford: col. 1, lines 19-22 and 35-37 and col. 7, lines 8-13).

9. As per claim 2, Yagi teaches as set forth above the user interface according to claim 1, further comprising:

a display (col. 6, lines 21-24 and Fig. 2, element 18) to present the home menu (Fig. 6) and the add menu (Fig. 8 and 9A via the selection of "Open"), the home menu (Fig. 6) including a plurality of home options (col. 8, lines 63-67, col. 9, lines 1-4 and Fig. 6, element 51-54 and "recently accessed file" section), the home options including the previously selected rotor (col. 9, lines 8-11 and Fig. 6, element 52 and "recently accessed file" section) and an add function (Fig. 8 via the selection of "Open"),

wherein the add menu (Fig. 8 and 9A via the selection of "Open") including the rotors being stored in memory (col. 6, lines 56-60) and displayed according to the previous selection state of the rotors (col. 10, lines 57-67 and col. 11, lines 1-9).

10. As per claim 3, Yagi teaches as set forth above the user interface according to claim 2, further comprising:

a key to navigate the home menu and the add menu (col. 1, lines 41-43), the key being **configured to generate (as opposed to actually generating)** a signal in response to being engaged (col. 9, lines 18-21 and col. 13, lines 1-14; i.e. the selection of a recently accessed file from the menu will open),

wherein the add menu (Fig. 8 and 9A, via the selection of "Open") includes a first subset of compatible rotors (col. 8, lines 63-67, col. 9, lines 1-2 and Fig. 6) and second subset of compatible rotors (col. 10, lines 25-40 and 57-67, col. 11, lines 1-4 and Fig. 8 and Fig. 9A via the selection of "Open"), where an entry of a compatible rotor is moved (col. 13, lines 43-61 and Fig. 13) from the second subset (Fig. 8 and 9A via the selection of "Open") to the first subset according to the selection of the desired rotor (Fig. 6).

11. As per claim 4, Yagi teaches the user interface according to claim 3, further comprising:

a memory to store a run parameter (col. 6, lines 16-30 and Fig. 2, element 12);  
and

a processor (Fig. 2, element 11) to control the display and receive signals from the key (col. 6, lines 25-30), the processor being **configured to (as opposed to actually):**

control the display to initially present the home menu (col. 6, lines 34-54, col. 15-20, Fig. 3, element 21 and Fig. 4(B), element 44; i.e. a setting means for displaying the desired home menu);

store the previously selected rotor to the run parameter (col. 6, lines 55-60, i.e. store to Fig. 6, element 52 and "recently accessed file" section) in response to a selection event while the previously selected rotor is being displayed (col. 10, lines 39-49 and 57-67, col. 11, lines 1-9 and Fig. 9A and 9B);

control the display to present the add menu in response to the add function being selected (col. 10, lines 25-49); and

move a newly selected rotor of the set of rotors to the home menu (Fig. 9B) from the add menu (Fig. 8 and 9A via the selection of "Open") and store the newly selected rotor to the run parameter in response to the selection event (col. 6, lines 56-60) while the newly selected rotor is being displayed (col. 10, lines 57-67 and col. 11, lines 1-9).

Yagi does not expressly teach to storing the rotor parameter of the rotor, and the newly selected rotor having a rotor parameter associated therewith.

Numata teaches to storing the rotor parameter of the rotor (col. 5, lines 8-15 and col. 13, lines 5-10), and the newly selected rotor having a rotor parameter associated therewith (col. 14, lines 1-12).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time of applicant's invention to modify the teaching of Yagi to include storing the rotor parameter of the rotor, and the newly selected rotor having a rotor parameter associated therewith to provide a system which brings greater reproducibility to the results and substantially enhances the functional versatility of the centrifuge as separation aid (col. 1, lines 26-36).

12. As per claim 5, Yagi teaches as set forth above the processor is further **configured to control (as opposed actually controlling)** the display to scroll through the plurality of home options while the display is presenting the home menu and in response to the signal (col. 8, lines 63-67, col. 9, lines 1-4 and Fig. 6, element 51-54 and "recently accessed file" section; i.e. the user moves from one home option to another using a mouse (Fig. 2, element 17), hence scrolling through the home options).

13. As per claim 6, Yagi teaches as set forth above the processor is further **configured to control (as opposed actually controlling)** the display to scroll through a plurality of type options while the display is presenting the add menu and in response to the signal (col. 13, lines 43-61 and Fig. 13; i.e. the user moves from one

Art Unit: 2121

type option to another using a mouse (Fig. 2, element 17), hence scrolling through the type options).

14. As per claim 7, Yagi does not expressly teach the key is a down key and the processor is **configured to control (as opposed actually controlling)** the display to scroll in a forward manner through the home menu or add menu in response to the signal.

Numata teaches to a key (Fig. 1, element 9; i.e. cursor key) and processor (Fig. 1, element 2) **configured to control (as opposed actually controlling)** a display (Fig. 13, element 106) by navigation through a menu (col. 5, lines 4-15 and col. 13, lines 56-67; i.e. in response to the key's output).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time of applicant's invention to modify the teaching of Yagi to include to a key and processor **configured to control (as opposed actually controlling)** a display by navigation through a menu to provide a system which brings greater reproducibility to the results and substantially enhances the functional versatility of the centrifuge as separation aid (col. 1, lines 26-36).

15. As per claim 8, Yagi does not expressly teach the key is an up key and the processor is **configured to control (as opposed actually controlling)** the display to

Art Unit: 2121

scroll in a reverse manner through the home menu or add menu in response to the signal.

Numata teaches to a key (Fig. 1, element 9; i.e. cursor key) and processor (Fig. 1, element 2) **configured to control (as opposed actually controlling)** a display (Fig. 13, element 106) by navigation through a menu (col. 5, lines 4-15 and col. 13, lines 56-67; i.e. in response to the key's output).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time of applicant's invention to modify the teaching of Yagi to include to a key and processor **configured to control (as opposed actually controlling)** a display by navigation through a menu to provide a system which brings greater reproducibility to the results and substantially enhances the functional versatility of the centrifuge as separation aid (col. 1, lines 26-36).

16. As per claim 9, Yagi teaches as set forth above the processor is further **configured to determine (as opposed to actually determining)** the selection event has occurred (col. 6, lines 25-30, col. 9, lines 18-21 and col. 13, lines 1-14; i.e. the selection of a recently accessed file from the menu will open).

17. As per claim 10, Yagi teaches as set forth above a select key (col. 1, lines 41-43) **configured to generate (as opposed to actually generating)** a select signal in

Art Unit: 2121

response to being engaged, wherein the processor is **configured to** determine (**as opposed to actually determining**) the selection event has occurred in response to the select signal (col. 6, lines 25-30, col. 9, lines 18-21 and col. 13, lines 1-14; i.e. the selection of a recently accessed file from the menu will open).

18. As per claim 11, Yagi teaches as set forth above the processor is **configured to** determine (**as opposed to actually determining**) the selection event has occurred in response to a predetermined amount of time has elapsed since last receiving the signal (col. 6, lines 25-30).

19. As per claim 12, Yagi teaches as set forth above the processor is **configured to** determine (**as opposed to actually determining**) the selection event has occurred in response to receiving a start run signal (col. 6, lines 25-30).

20. As per claim 14, Yagi teaches as set forth above the add menu further comprises a plurality of type menus to subdivide the set of rotors (Fig. 10; i.e. divided into a plurality of files) into a plurality of respective type options (Fig. 10; i.e. divided into a plurality of different folders), the processor the **configured to** control (**as opposed to actually controlling**) the display to present the plurality of type menus (col. 11, lines 41-48).

Art Unit: 2121

21. As per claim 15, Yagi teaches an apparatus to select a desired file/folder from a set of files(s)/folder(s) compatible for use in a file handling device (col. 1, lines 6-16), the apparatus comprising:

a display (col. 6, lines 21-24 and Fig. 2, element 18) to present a home menu (col. 8, lines 63-67, col. 9, lines 1-2 and Fig. 6) and an add menu (col. 10, lines 25-40 and 57-67, col. 11, lines 1-4 and Fig. 8 and Fig. 9A via the selection of "Open"),

the home menu (Fig. 6) including a plurality of home menu options (col. 8, lines 63-67, col. 9, lines 1-4 and Fig. 6, element 51-54 and "recently accessed file" section),

the home menu options including a previously selected files(s)/folder(s) (col. 9, lines 8-12 and Fig. 6, element 52 and "recently accessed file" section) and an add function (Fig. 8 and 9A via the selection of "Open"), the add menu including a plurality of add menu options (col. 10, lines 25-39 and 57-67 and col. 11, lines 1-4), the plurality of add menu options including the set of files(s)/folder(s) (col. 10, lines 25-39 and 57-67 and col. 11, lines 1-4);

a key to navigate the home menu and the add menu (col. 1, lines 41-43), the key being **configured to** generate (**as opposed to actually generating**) a signal in response to being engaged (col. 10, lines 25-40 and 57-67 and col. 11, lines 1-4);

a memory to store a run parameter (col. 6, lines 16-30 and Fig. 2, element 12);  
and

a processor (Fig. 2, element 11) to control the display and receive the signal from the key (col. 6, lines 25-30), the processor being **configured to (as opposed to actually):**

control the display to initially present the home menu (col. 6, lines 34-54, col. 15-20, Fig. 3, element 21 and Fig. 4(B), element 44; i.e. a setting means for displaying the desired home menu);

store the previously selected files/folder to the run parameter (col. 6, lines 55-60, i.e. store to Fig. 6, element 52 and "recently accessed file" section) in response to a selection event while the previously selected file/folder is being displayed (col. 10, lines 39-49 and 57-67, col. 11, lines 1-9 and Fig. 9A and 9B);

control the display to present the add menu in response to the add function being selected (col. 10, lines 25-49); and

move a newly selected file/folder of the set of files(s)/folder(s) to the home menu (Fig. 9B) from the add menu (Fig. 8 and 9A via the selection of "Open") and store the newly selected file/folder to the run parameter in response to the selection event (col. 6, lines 56-60) while the newly selected file/folder is being displayed (col. 10, lines 57-67 and col. 11, lines 1-9).

Yagi does not expressly teach to a centrifuge run in a centrifuge device, rotors, a list of all of the rotors in the set of rotors compatible for use in the centrifuge device, the previously selected rotor having a rotor parameter associated therewith, storing the

Art Unit: 2121

rotor parameter of the rotor, and the newly selected rotor having a rotor parameter associated therewith

Numata teaches to a system and method for operating a centrifuge that includes querying the operator of the centrifuge for information which includes the selection of a rotor (col. 13, lines 32-59), a previously selected rotor having a rotor parameter associated therewith (col. 13, lines 60-67), storing the rotor parameter of the rotor (col. 5, lines 8-15 and col. 13, lines 5-10), and the newly selected rotor having a rotor parameter associated therewith (col. 14, lines 1-12).

Numata does not expressly teach to a list of all of the rotors in the set of rotors compatible for use in the centrifuge device.

Blatchford teaches to a list of all the components (i.e. restricted specific components provided in a selectable option list) in the set of components (col. 2, lines 29-38 and col. 3, lines 7-20 and col. 11, lines 45-52; i.e. specific components) for compatible use with a second component (col. 2, lines 39-46 and col. 11, lines 25-34; i.e. a generic component; following selection of a generic component, a list is generated of specific components that are compatible with the use of the generic component).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time of applicant's invention to modify the teaching of Yagi to include a system and method for operating a centrifuge that includes querying the operator of the centrifuge

Art Unit: 2121

for information which includes the selection of a rotor, a previously selected rotor having a rotor parameter associated therewith, storing the rotor parameter of the rotor, and the newly selected rotor having a rotor parameter associated therewith to provide a system which brings greater reproducibility to the results and substantially enhances the functional versatility of the centrifuge as separation aid (col. 1, lines 26-36); and a list of all of the components in the set of components for compatible use with a second component to provide an apparatus for ensuring the proper functioning of a generic component that requires selection of a variety of specific components (Blatchford: col. 1, lines 19-22 and 35-37 and col. 7, lines 8-13).

22. As per claim 16, Yagi teaches as set forth above the processor is further **configured to control (as opposed to actually controlling)** the display to scroll through the plurality of home menu options while the display is presenting the home menu and in response to the signal (col. 8, lines 63-67, col. 9, lines 1-4 and Fig. 6, element 51-54 and "recently accessed file" section; i.e. the user moves from one home option to another using a mouse (Fig. 2, element 17), hence scrolling through the home options).

23. As per claim 17, Yagi teaches as set forth above the processor is further **configured to control (as opposed to actually controlling)** the display to scroll through the plurality of add menu options while the display is presenting the add menu

Art Unit: 2121

and in response to the signal (col. 13, lines 43-61 and Fig. 13; i.e. the user moves from one type option to another using a mouse (Fig. 2, element 17), hence scrolling through the options).

24. As per claim 18, Yagi does not expressly teach the key is a down key and the processor is **configured to control (as opposed to actually controlling)** the display to scroll in a forward manner through the home menu or add menu in response to the signal.

Numata teaches to a key (Fig. 1, element 9; i.e. cursor key) and processor (Fig. 1, element 2) **configured to control (as opposed to actually controlling)** a display (Fig. 13, element 106) by navigation through a menu (col. 5, lines 4-15 and col. 13, lines 56-67; i.e. in response to the key's output).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time of applicant's invention to modify the teaching of Yagi to include to a key and processor **configured to control (as opposed to actually controlling)** a display by navigation through a menu to provide a system which brings greater reproducibility to the results and substantially enhances the functional versatility of the centrifuge as separation aid (col. 1, lines 26-36).

25. As per claim 19, Yagi teaches does not expressly teach the key is an up key and the processor is **configured to control (as opposed to actually controlling)** the display to scroll in a reverse manner through the home menu or add menu in response to the signal.

Numata teaches to a key (Fig. 1, element 9; i.e. cursor key) and processor (Fig. 1, element 2) **configured to control (as opposed to actually controlling)** a display (Fig. 13, element 106) by navigation through a menu (col. 5, lines 4-15 and col. 13, lines 56-67; i.e. in response to the key's output).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time of applicant's invention to modify the teaching of Yagi to include to a key and processor **configured to control (as opposed to actually controlling)** a display by navigation through a menu to provide a system which brings greater reproducibility to the results and substantially enhances the functional versatility of the centrifuge as separation aid (col. 1, lines 26-36).

26. As per claim 20, Yagi teaches as set forth above the processor is further **configured to determine (as opposed to actually determining)** the selection event has occurred (col. 6, lines 25-30, col. 9, lines 18-21 and col. 13, lines 1-14; i.e. the selection of a recently accessed file from the menu will open).

Art Unit: 2121

27. As per claim 21, Yagi teaches as set forth above a select key (col. 1, lines 41-43) **configured to** generate (**as opposed to actually generating**) a select signal in response to being engaged, wherein the processor is **configured to** determine (**as opposed to actually determining**) the selection event has occurred in response to the select signal (col. 6, lines 25-30, col. 9, lines 18-21 and col. 13, lines 1-14; i.e. the selection of a recently accessed file from the menu will open).

28. As per claim 22, Yagi teaches as set forth above the processor is **configured to** determine (**as opposed to actually determining**) the selection event has occurred in response to a predetermined amount of time has elapsed since last receiving the signal (col. 6, lines 25-30).

29. As per claim 23, Yagi teaches as set forth above the processor is **configured to** determine (**as opposed to actually determining**) the selection event has occurred in response to receiving a start run signal (col. 6, lines 25-30).

30. As per claim 25, Yagi teaches an apparatus for providing a user interface to a user for the user to select a desired file/folder from a set of file(s)/folder(s) compatible for use in a file handling device (col. 1, lines 6-16), the apparatus comprising:

means for displaying (col. 6, lines 21-24 and Fig. 2, element 18) a home menu option of a plurality of home menu options (col. 8, lines 63-67, col. 9, lines 1-2 and Fig.

6, element 51-54 and "recently accessed file" section) in a home menu (Fig. 6), the home menu options including a previously selected file/folder (col. 9, lines 8-11, and Fig. 6, element 52 and "recently accessed file" section) and an add function (Fig. 8 and 9A via the selection of "Open");

means for storing the previously selected file/folder to a run parameter (col. 6, lines 55-60, i.e. store to Fig. 6, element 52 and "recently accessed file" section) in response to a selection event while the previously selected file/folder is being displayed (col. 10, lines 39-49 and 57-67, col. 11, lines 1-9 and Fig. 9A and 9B);

means for displaying (col. 1, lines 41-43) an add menu option (col. 10, lines 25-40 and lines 57-67, col. 11, lines 1-4 and Fig. 8 and Fig. 9A via the selection of "Open") of a plurality of add menu options (col. 10, lines 25-39 and 57-67 and col. 11, lines 1-4) in an add menu in response to a selection event while the add function is being displayed (col. 10, lines 25-49 and 57-67 and col. 11, lines 1-4); and

means for moving a newly selected file/folder of the set of file(s)/folder(s) to the home menu (Fig. 9B) from the add menu (Fig. 8 and 9A via the selection of "Open") and means for storing the newly selected file/folder to the run parameter in response to the selection event (col. 6, lines 56-60) while the newly selected file/folder is being displayed (col. 10, lines 57-67 and col. 11, lines 1-9).

Yagi does not expressly teach to a centrifuge run in a centrifuge device, rotors, the add menu listing for selection by a user all of the rotors in the set of rotors compatible for use in the centrifuge device, the previously selected rotor having a rotor

Art Unit: 2121

parameter associated therewith, storing the rotor parameter of the rotor, and the newly selected rotor having a rotor parameter associated therewith

Numata teaches to a system and method for operating a centrifuge that includes querying the operator of the centrifuge for information which includes the selection of a rotor (col. 13, lines 32-59), a previously selected rotor having a rotor parameter associated therewith (col. 13, lines 60-67), storing the rotor parameter of the rotor (col. 5, lines 8-15 and col. 13, lines 5-10), and the newly selected rotor having a rotor parameter associated therewith (col. 14, lines 1-12).

Numata the add menu listing for selection by a user all of the rotors in the set of rotors compatible for use in the centrifuge device.

Blatchford teaches to a listing for selection by a user of all components (i.e. restricted specific components provided in a selectable option list) in the set of components (col. 2, lines 29-38 and col. 3, lines 7-20 and col. 11, lines 45-52; i.e. specific components) compatible for use with a second component (col. 2, lines 39-46 and col. 11, lines 25-34; i.e. a generic component; following selection of a generic component, a list is generated of specific components that are compatible with the use of the generic component).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time of applicant's invention to modify the teaching of Yagi to include a system and

Art Unit: 2121

method for operating a centrifuge that includes querying the operator of the centrifuge for information which includes the selection of a rotor, a previously selected rotor having a rotor parameter associated therewith, storing the rotor parameter of the rotor, and the newly selected rotor having a rotor parameter associated therewith to provide a system which brings greater reproducibility to the results and substantially enhances the functional versatility of the centrifuge as separation aid (col. 1, lines 26-36); and a listing for selection by a user of all components in the set of components compatible for use with a second component to provide an apparatus for ensuring the proper functioning of a generic component that requires selection of a variety of specific components (Blatchford: col. 1, lines 19-22 and 35-37 and col. 7, lines 8-13).

31. As per claim 26, Yagi teaches as set forth above a means for scrolling (i.e. the user moves from one home option to another using a mouse (Fig. 2, element 17), hence scrolling through the home options) through the plurality of home menu options while displaying the home menu in response to the selection event (col. 8, lines 63-67, col. 9, lines 1-4 and Fig. 6, element 51-54 and "recently accessed file" section).

32. As per claim 27, Yagi teaches as set forth above a means for scrolling (i.e. the user moves from one type option to another using a mouse (Fig. 2, element 17), hence scrolling through the options) through the plurality of add menu options while

Art Unit: 2121

displaying the add menu in response to the selection event (col. 13, lines 43-61 and Fig. 13).

33. As per claim 28, Yagi teaches as set forth above a means (i.e. the selection of a recently accessed file from the menu will open) for determining the selection event has occurred (col. 6, lines 25-30, col. 9, lines 18-21 and col. 13, lines 1-14).

34. As per claim 29, Yagi teaches an apparatus for selecting an option from a set of options, the apparatus comprising:

means for providing a first subset of options from which to select the option (col. 8, lines 63-67, col. 9, lines 1-2 and Fig. 6), the first subset of options **configured to** include **(as opposed to actually including)** at least one option of the set of options (col. 8, lines 63-67, col. 9, lines 1-4 and Fig. 6, element 51-54 and "recently accessed file" section);

means for interfacing (col. 6, lines 21-24 and Fig. 2, element 18) **configured to** provide **(as opposed to actually providing)** a scrolling means for scrolling through the first subset of options and a selecting means for selecting the option (col. 8, lines 63-67, col. 9, lines 1-4 and Fig. 6, element 51-54 and "recently accessed file" section; i.e. the user moves from one option to another using a mouse (Fig. 2, element 17), hence scrolling through the options); and

means for providing a second subset of options, the second subset of options including a remainder of options corresponding to the set of options minus the first subset of options (col. 10, lines 25-40 and 57-67, col. 11, lines 1-4 and Fig. 8 and Fig. 9A via the selection of "Open"),

wherein the interfacing means (col. 6, lines 21-24 and Fig. 2, element 18) is further **configured to provide (as opposed to actually providing)** a capability of scrolling through the second subset of options (col. 13, lines 43-61 and Fig. 13; i.e. the user moves from one type option to another using a mouse (Fig. 2, element 17), hence scrolling through the options) and moving an option from the second subset of options (Fig. 8 and 9A via the selection of "Open") to the first subset of options (Fig. 6).

Yagi does not expressly teach to a motorized device and options for configuration of the motorized device.

Numata teaches to a motorized device (col. 5, lines 4-12 and col. 12, lines 40-57) and options for configuration of the motorized device (col. 13, lines 60-67 and col. 14, lines 1-12; i.e. set values).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time of applicant's invention to modify the teaching of Yagi to include a motorized device and options for configuration of the motorized device to provide a system which

Art Unit: 2121

brings greater reproducibility to the results and substantially enhances the functional versatility of the centrifuge as separation aid (col. 1, lines 26-36).

35. As per claim 30, Yagi teaches a method of providing a user interface to a user for the user to select a desired file/folder from a files(s)/folder(s) compatible for use in a file handling device (col. 1, lines 6-16), the method comprising:

displaying (col. 6, lines 21-24 and Fig. 2, element 18) a home menu option of a plurality of home menu options (col. 8, lines 63-67, col. 9, lines 1-4 and Fig. 6, element 51-54 and "recently accessed file" section) in a home menu (col. 8, lines 63-67, col. 9, lines 1-2 and Fig. 6), the home menu options including previously selected files(s)/folder(s) (col. 9, lines 8-12 and Fig. 6, element 52 and "recently accessed file" section);

storing the previously selected previously selected files(s)/folder(s) to a run parameter (col. 6, lines 55-60, i.e. store to Fig. 6, element 52 and "recently accessed file" section) in response to a selection event while the previously selected files(s)/folder(s) is being displayed (col. 10, lines 39-49 and 57-67, col. 11, lines 1-9 and Fig. 9A and 9B);

displaying an add menu option of a plurality of add menu options (col. 10, lines 25-39 and 57-67 and col. 11, lines 1-4) in an add menu (col. 10, lines 25-40 and 57-67, col. 11, lines 1-4 and Fig. 8 and Fig. 9A via the selection of "Open") in response to a selection event while the add function is being displayed (col. 10, lines 25-49); and

moving a newly selected file/folder of the set of files(s)/folder(s) to the home menu (Fig. 9B) from the add menu (Fig. 8 and 9A via the selection of "Open") and storing the newly selected file/folder to the run parameter in response to the selection event (col. 6, lines 56-60) while the newly selected file/folder is being displayed (col. 10, lines 57-67 and col. 11, lines 1-9).

Yagi does not expressly teach to a centrifuge run in a centrifuge device, rotors, the add menu listing for selection by a user all of the rotors in the set of rotors compatible for use in the centrifuge device, the previously selected rotor having a rotor parameter associated therewith, storing the rotor parameter of the rotor, and the newly selected rotor having a rotor parameter associated therewith

Numata teaches to a system and method for operating a centrifuge that includes querying the operator of the centrifuge for information which includes the selection of a rotor (col. 13, lines 32-59), a previously selected rotor having a rotor parameter associated therewith (col. 13, lines 60-67), storing the rotor parameter of the rotor (col. 5, lines 8-15 and col. 13, lines 5-10), and the newly selected rotor having a rotor parameter associated therewith (col. 14, lines 1-12).

Numata does not expressly teach the add menu listing for selection by a user all of the rotors in the set of rotors compatible for use in the centrifuge device.

Blatchford teaches to a listing for selection by a user of all components (i.e. restricted specific components provided in a selectable option list) in the set of components (col. 2, lines 29-38 and col. 3, lines 7-20 and col. 11, lines 45-52; i.e. specific components) compatible for use with a second component (col. 2, lines 39-46 and col. 11, lines 25-34; i.e. a generic component; following selection of a generic component, a list is generated of specific components that are compatible with the use of the generic component).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time of applicant's invention to modify the teaching of Yagi to include a system and method for operating a centrifuge that includes querying the operator of the centrifuge for information which includes the selection of a rotor, a previously selected rotor having a rotor parameter associated therewith, storing the rotor parameter of the rotor, and the newly selected rotor having a rotor parameter associated therewith to provide a system which brings greater reproducibility to the results and substantially enhances the functional versatility of the centrifuge as separation aid (col. 1, lines 26-36); and a listing for selection by a user of all components in the set of components compatible for use with a second component (Blatchford: col. 1, lines 19-22 and 35-37 and col. 7, lines 8-13).

36. As per claim 31, Yagi teaches as set forth above scrolling through the plurality of home menu options while displaying the home menu in response to the

Art Unit: 2121

selection event (col. 8, lines 63-67, col. 9, lines 1-4 and Fig. 6, element 51-54 and "recently accessed file" section; i.e. the user moves from one home option to another using a mouse (Fig. 2, element 17), hence scrolling through the home options),

wherein the add menu (Fig. 8 and 9A, via the selection of "Open") includes a first subset of compatible rotors (col. 8, lines 63-67, col. 9, lines 1-2 and Fig. 6) and second subset of compatible rotors( col. 10, lines 25-40 and 57-67, col. 11, lines 1-4 and Fig. 8 and Fig. 9A via the selection of "Open"), where an entry of a compatible rotor is moved (col. 13, lines 43-61 and Fig. 13) from the second subset (Fig. 8 and 9A via the selection of "Open") to the first subset according to the selection of the desired rotor (Fig. 6).

37. As per claim 32, Yagi teaches as set forth above scrolling through the plurality of add menu options while displaying the add menu in response to the selection event (col. 13, lines 43-61 and Fig. 13; i.e. the user moves from one type option to another using a mouse (Fig. 2, element 17), hence scrolling through the options).

38. As per claim 33, Yagi teaches as set forth above determining the selection event has occurred (col. 6, lines 25-30, col. 9, lines 18-21 and col. 13, lines 1-14; i.e. the selection of a recently accessed file from the menu will open).

Art Unit: 2121

39. As per claim 34, Yagi teaches as set forth above the selection event is determined to have occurred in response to a select signal (col. 6, lines 25-30, col. 9, lines 18-21 and col. 13, lines 1-14; i.e. the selection of a recently accessed file from the menu will open).

40. As per claim 35, Yagi teaches as set forth above the selection event is determined to have occurred in response to a predetermined amount of time having elapsed since last receiving a signal (col. 6, lines 25-30).

41. As per claim 36, Yagi teaches as set forth above the selection event is determined to have occurred in response to receiving a start run signal (col. 6, lines 25-30).

42. As per claim 38, Yagi teaches a method of selecting an option from a set of options, the method comprising:

providing a first subset of options from which to select the option (col. 8, lines 63-67, col. 9, lines 1-2 and Fig. 6), the first subset of options **configured to** include **(as opposed to actually including)** at least one option of the set of options (col. 8, lines 63-67, col. 9, lines 1-4 and Fig. 6, element 51-54 and "recently accessed file" section);

providing an interface (col. 6, lines 21-24 and Fig. 2, element 18) **configured to** provide **(as opposed to actually providing)** a capability of scrolling through the first

subset of options and selecting the option (col. 8, lines 63-67, col. 9, lines 1-4 and Fig. 6, element 51-54 and "recently accessed file" section; i.e. the user moves from one option to another using a mouse (Fig. 2, element 17), hence scrolling through the options); and

providing a second subset of options including a remainder of option corresponding to the set of options minus the first subset of options (col. 10, lines 25-40 and 57-67, col. 11, lines 1-4, Fig. 8 and Fig. 9A via the selection of "Open"),

wherein the interface (col. 6, lines 21-24 and Fig. 2, element 18) is further **configured to provide (as opposed to actually providing)** a capability of scrolling through the second subset of options (col. 13, lines 43-61 and Fig. 13; i.e. the user moves from one type option to another using a mouse (Fig. 2, element 17), hence scrolling through the options) and moving an option from the second subset of options (Fig. 8 and 9A via the selection of "Open") to the first subset of options (Fig. 6).

Yagi does not expressly teach to a centrifuge.

Numata teaches to a centrifuge (col. 5, lines 4-12 and col. 12, lines 40-57) and options for configuration of the centrifuge (col. 13, lines 60-67 and col. 14, lines 1-12; i.e. set values).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time of applicant's invention to modify the teaching of Yagi to a centrifuge and

Art Unit: 2121

options for configuration of the centrifuge to provide a system which brings greater reproducibility to the results and substantially enhances the functional versatility of the centrifuge as separation aid (col. 1, lines 26-36).

43. Claims 13, 24 and 37 are rejected under 35 U.S.C. 103(a) as being unpatentable over Yagi in view of Numata in further view of Blatchford and U.S. Patent No. 5,358,343 (hereinafter Klauber).

44. As per claim 13, Yagi does not expressly teach the key includes a down key and an up key and the processor is **configured to determine (as opposed to actually determining)** the selection event has occurred in response to receiving the signal from the down key and the up key at essentially same time.

Numata teaches to a key (Fig. 1, element 9; i.e. cursor key) and processor (Fig. 1, element 2) controlling a display (Fig. 13, element 106) by navigation through a menu by selection of a menu item in response to the key's output (col. 5, lines 4-15 and col. 13, lines 56-67).

Numata does not expressly teach to two keys to the simultaneous activation of two keys at essentially the same time.

Blatchford does not expressly teach to two keys to the simultaneous activation of two keys at essentially the same time.

Klauber teaches to the simultaneous activation of two keys, wherein the processor determines the activation has occurred in response to receiving an output signal from the two keys (col. 11, lines 55-60).

Klauber teaches the claimed invention except for includes a down key and an up key. It would have been an obvious matter of design choice to use include both a down key and an up key, since Applicant has not disclosed that a down key and an up key solves any stated problem or is for any particular purpose and it appears that the invention would perform equally well with any two keys that perform the desired keys' output.

Therefore, it would have been obvious to a person of ordinary skill in the art at the time of applicant's invention to modify the teaching of Yagi to include to a key and processor controlling a display by navigation through a menu by selection of a menu item in response to the key's output to provide a system which brings greater reproducibility to the results and substantially enhances the functional versatility of the centrifuge as separation aid (Numata: col. 1, lines 26-36); and the simultaneous activation of two keys, wherein the processor determines the activation has occurred in response to receiving an output signal from the two keys to provide an improved, easier, more efficient, more ergonomic method for activation of keys (Klauber: col. 1, lines 19-28).

Art Unit: 2121

45. As per claim 24, Yagi does not expressly teach the key includes a down key and an up key and the processor is **configured to determine (as opposed to actually determining)** the selection event has occurred in response to receiving the signal from the down key and the up key at essentially the same time.

Numata teaches to a key (Fig. 1, element 9; i.e. cursor key) and processor (Fig. 1, element 2) controls a display (Fig. 13, element 106) by navigation through a menu by selection of a menu item in response to the key's output (col. 5, lines 4-15 and col. 13, lines 56-67).

Numata does not expressly teach to two keys to the simultaneous activation of two keys at essentially the same time.

Blatchford does not expressly teach to two keys to the simultaneous activation of two keys at essentially the same time.

Klauber teaches to the simultaneous activation of two keys, wherein the processor determines the activation has occurred in response to receiving an output signal from the two keys (col. 11, lines 55-60).

Klauber teaches the claimed invention except for includes a down key and an up key. It would have been an obvious matter of design choice to use include both a down key and an up key, since Applicant has not disclosed that a down key and an up key solves any stated problem or is for any particular purpose and it appears that the

Art Unit: 2121

invention would perform equally well with any two keys that perform the desired keys' output.

Therefore, it would have been obvious to a person of ordinary skill in the art at the time of applicant's invention to modify the teaching of Yagi to include to a key and processor controlling a display by navigation through a menu by selection of a menu item in response to the key's output to provide a system which brings greater reproducibility to the results and substantially enhances the functional versatility of the centrifuge as separation aid (Numata: col. 1, lines 26-36); and the simultaneous activation of two keys, wherein the processor determines the activation has occurred in response to receiving an output signal from the two keys to provide an improved, easier, more efficient, more ergonomic method for activation of keys (Klauber: col. 1, lines 19-28).

46. As per claim 37, Yagi does not expressly teach the selection event is determined to have occurred in response to receiving a signal from a down key and an up key at essentially the same time, and the selection is determined to have occurred in response to a passively selected option by engaging a start and stop key.

Numata teaches to a key (Fig. 1, element 9; i.e. cursor key) and processor (Fig. 1, element 2) controlling a display (Fig. 13, element 106) by navigation through a menu

Art Unit: 2121

by selection of a menu item in response to the key's output (col. 5, lines 4-15 and col. 13, lines 56-67).

Numata does not expressly teach to two keys to the simultaneous activation of two keys at essentially the same time.

Blatchford does not expressly teach to two keys to the simultaneous activation of two keys at essentially the same time.

Klauber teaches to the simultaneous activation of two keys, wherein the processor determines the activation has occurred in response to receiving an output signal from the two keys (col. 11, lines 55-60).

Klauber teaches the claimed invention except for includes a down key and an up key. It would have been an obvious matter of design choice to use include both a down key and an up key, since Applicant has not disclosed that a down key and an up key solves any stated problem or is for any particular purpose and it appears that the invention would perform equally well with any two keys that perform the desired keys' output.

Therefore, it would have been obvious to a person of ordinary skill in the art at the time of applicant's invention to modify the teaching of Yagi to include to a key and processor controlling a display by navigation through a menu by selection of a menu item in response to the key's output to provide a system which brings greater

Art Unit: 2121

reproducibility to the results and substantially enhances the functional versatility of the centrifuge as separation aid (Numata: col. 1, lines 26-36); and the simultaneous activation of two keys, wherein the processor determines the activation has occurred in response to receiving an output signal from the two keys to provide an improved, easier, more efficient, more ergonomic method for activation of keys (Klauber: col. 1, lines 19-28).

### ***Conclusion***

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

The following references are cited to further show the state of the art with respect to operator interfaces for inputting and displaying information.

U.S. Patent No. 7,343,208 discloses a method for selecting and/or producing automation hardware which is appropriate or necessary for controlling and/or monitoring a technical process to be automated according to an automation solution.

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jennifer L. Norton whose telephone number is (571)272-3694. The examiner can normally be reached on Monday-Friday between 9:00 a.m. - 5:30 p.m..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Albert Decady can be reached on 571-272-3819. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business

Art Unit: 2121

Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO

Customer Service Representative or access to the automated information system, call

800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Albert DeCady/  
Supervisory Patent Examiner  
Art Unit 2121

/JLN/